L Number	Hits	Search Text	DB	Time stamp
1	2175	711/103.ccls. or 711/147.ccls. or 711/154.ccls.	USPAT; US-PGPUB;	2003/02/05 15:48
2	741	710/60-61.ccls. or 710/106.ccls. or 710/11.ccls.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/02/05 15:48
3	1313	709/233.ccls. or 709/248.ccls. or 709/213.ccls. or 709/216.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/02/05 15:48
4	3059	713/400.ccls. or 713/500.ccls. or 713/600.ccls. or 713/1-2.ccls. or 713/100.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/02/05 15:48
5	208	709/400.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/02/05 15:48
6	245	717/169.ccls. or 717/173.ccls. or 711/175.ccls. or 717/178.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/02/05
7	1153	701/33.ccls. or 701/35.ccls.or 701/24.ccls. or 701/26.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/02/05 15:49
8	228710	(rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/02/05 15:51
9	247185	(speed near5 (chang\$3 or set or setting)) or baud	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/02/05 15:54
10	12757	(processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/02/05 15:57
11	8476	711/154.ccls. ) or (710/60-61.ccls. or 710/106.ccls. or 710/11.ccls. ) or (709/233.ccls. or 709/248.ccls. or 709/213.ccls. or 709/216.ccls. ) or (713/400.ccls. or 713/500.ccls. or 713/600.ccls. or 713/1-2.ccls. or 713/100.ccls. ) or 709/400.ccls. or (717/169.ccls. or 717/173.ccls. or 711/175.ccls. or 717/178.ccls. ) or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 15:55
12	17097	(701/33.ccls. or 701/35.ccls.or 701/24.ccls. or 701/26.ccls.) ((speed or baud) near5 (chang\$3 or set or setting)) same (request\$3 or command or instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 18:34

		· · · · · · · · · · · · · · · · · · ·	<del></del>	T
13	23957	<pre>(rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or</pre>	USPAT; US-PGPUB; EPO; JPO;	2003/02/05 16:24
		prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)	DERWENT; IBM TDB	
14	2773	((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud) ) and (((speed or baud) near5 (chang\$3 or set or setting))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/02/05 16:01
		<pre>same (request\$3 or command or instruction) )</pre>	IBM_TDB	
15	161	((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud) ) same ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05
16	989	((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud)) and ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:03
17	58	<pre>(((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud) ) same ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program) )) and (((speed or baud) near5 (chang\$3 or set or setting)) same (request\$3 or command or instruction))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:03
18	28	((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud)) same ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program))) and (((speed or baud) near5 (chang\$3 or set or setting)) same (request\$3 or command or instruction))) and (@ad<19960920) or @rlad<19960920)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:39
19	290	<pre>((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4) near4 ((control or transfer) near1 program)) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/05 17:09
20	13	<pre>(((speed or baud) near5 (chang\$3 or set or setting)) same (request\$3 or command or instruction) ) and (((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4) near4 ((control or transfer) near1 program)) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) )</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:39
21	5	((((speed or baud) near5 (chang\$3 or set or setting)) same (request\$3 or command or instruction) ) and (((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4) near4 ((control or transfer) near1 program)) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) )) and (@ad<19960920 or @rlad<19960920)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 18:34

Search History 2/5/03 6:34:48 PM Page 2

22	6	((((speed or baud) near5 (chang\$3 or set or setting)) same (request\$3 or command or instruction) ) and (((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4) near4 ((control or transfer) near1 program)) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) ) and ((711/103.ccls. or 711/147.ccls. or 711/154.ccls. ) or (710/60-61.ccls. or 710/106.ccls. or 709/233.ccls. or 709/248.ccls. or 709/213.ccls. or 709/248.ccls. or 709/213.ccls. or 709/216.ccls. ) or (713/400.ccls. or 713/500.ccls. or 713/100.ccls. or 713/1-2.ccls. or 713/100.ccls. ) or 709/400.ccls. or 711/175.ccls. or 717/173.ccls. or 711/175.ccls. or 701/35.ccls. or 701/24.ccls. or 701/26.ccls. )) (/rewrit\$3 or repercerats or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05
23	764	<pre>((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4) near4 ((control or transfer) near1 program))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/05
24	16	<pre>(((speed or baud) near5 (chang\$3 or set   or setting)) same (request\$3 or command   or instruction) ) and (((rewrit\$3 or   re-writ\$3 or reprogram\$ or re-program\$4)   near4 ((control or transfer) near1   program)) )</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 18:33
25	6	((((speed or baud) near5 (chang\$3 or set or setting)) same (request\$3 or command or instruction) ) and (((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4) near4 ((control or transfer) near1 program)) )) and ((711/103.ccls. or 711/147.ccls. or 711/154.ccls. ) or (710/60-61.ccls. or 710/106.ccls. or 710/11.ccls. ) or (709/233.ccls. or 709/248.ccls. or 709/213.ccls. or 709/216.ccls. ) or (713/400.ccls. or 713/500.ccls. or 713/600.ccls. or 713/1-2.ccls. or 713/100.ccls. ) or 709/400.ccls. or 717/169.ccls. or 717/173.ccls. or 711/175.ccls. or 717/178.ccls. ) or (701/33.ccls. or 701/26.ccls. ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 18:34
26	0	(((((speed or baud) near5 (chang\$3 or set or setting)) same (request\$3 or command or instruction) ) and (((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4) near4 ((control or transfer) near1 program)) )) and ((711/103.ccls. or 711/147.ccls. or 711/154.ccls. ) or (710/60-61.ccls. or 710/106.ccls. or 710/11.ccls. ) or (709/233.ccls. or 709/248.ccls. or 709/213.ccls. or 709/216.ccls. ) or (713/400.ccls. or 713/500.ccls. or 713/600.ccls. or 713/1-2.ccls. or 713/100.ccls. ) or (717/169.ccls. or 717/173.ccls. or 711/175.ccls. or 717/178.ccls. ) or (701/33.ccls. or 701/26.ccls.)) and (@ad<19960920 or @rlad<19960920)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05